Volume 192, Number 1 September 2000

Editorial

Barrett's mucosa: remodelling by the microenvironment: R. F. Harrison, I. Perry and J. A. Jankowski 1

Review Article

Regulation of the differentiation and function of osteoclasts: T. J. Chambers 4

Original Papers

Angiogenesis in the neoplastic sequence of Barrett's oesophagus. Correlation with VEGF expression: A. Couvelard, F. Paraf, V. Gratio, J.-Y. Scoazec, D. Hénin, C. Degott and J.-F. Fléjou 14

Nuclear profiles of cancer cells reveal the metastatic potential of gastric cancer: M. Ikeguchi, J. Cai, S. Oka, Y. Gomyou, S. Tsujitani, M. Maeta and N. Kaibara 19

Reduced expression of p27/Kip1 is associated with the development of pulmonary adenocarcinoma: H. Hayashi, T. Ito, T. Yazawa, M. Ikeda, Y. Inayama, Y. Nakatani, Y. Kameda, N. Nakamura and H. Kitamura 26

Assessment of *ret*/PTC-1 rearrangements in neoplastic thyroid tissue using TaqMan RT-PCR: O. M. Sheils, J. J. O'Leary and E. C. Sweeney 32

Hot microscopic areas of iodine-deficient euthyroid goitres contain constitutively activating TSH receptor mutations: K. Krohn, S. Wohlgemuth, H. Gerber and R. Paschke 37

Differentiation of multicentric origin from intra-organ metastatic spread of hepatocellular carcinomas by comparative genomic hybridization: L. Wilkens, M. Bredt, P. Flemming, J. Klempnauer and H. H. Kreipe 43

Expression of p53 in oral squamous cell carcinoma is associated with the presence of IgG and IgA p53 autoantibodies in sera and saliva of the patients: S. Warnakulasuriya, T. Soussi, R. Maher, N. Johnson and M. Tavassoli 52

Expression patterns of E-cadherin, involucrin, and connexin gap junction proteins in the lining epithelia of inflamed gingiva: P. Ye, C. C. Chapple, R. K. Kumar and N. Hunter 58

Human peritoneal adhesions are highly cellular, innervated, and vascularised: S. E. Herrick, S. E. Mutsaers, P. Ozua, H. Sulaiman, A. Omer, P. Boulos, M. L. Foster and G. J. Laurent 67

***In situ* expression of fibrogenic growth factors and their receptors in biliary atresia: comparison between early and late stages:** A. F. K. U. Ahmed, H. Ohtani, M. Nio, N. Funaki, D. Iwami, S. Kumagai, E. Sato, H. Nagura and R. Ohi 73

Collagen type I synthesized by pancreatic periacinar stellate cells (PSC) co-localizes with lipid peroxidation-derived aldehydes in chronic alcoholic pancreatitis: A. Casini, A. Galli, P. Pignalosa, L. Frulloni, C. Grappone, S. Milani, P. Pederzoli, G. Cavallini and C. Surrenti 81

Preliminary report of impaired oestrogen receptor-α expression in bone, but no involvement of androgen receptor, in male idiopathic osteoporosis: I. P. Braidman, C. Baris, P. L. Selby, J. E. Adams, A. J. Freemont and J. A. Hoyland . 90

Rheumatoid arthritis synovial macrophage–osteoclast differentiation is osteoprotegerin ligand-dependent: I. Itonaga, Y. Fujikawa, A. Sabokbar, D. W. Murray and N. A. Athanasou 97

Increased TIMP/MMP ratio in varicose veins: a possible explanation for extracellular matrix accumulation: C. Badier-Commander, T. Verbeuren, C. Lebard, J.-B. Michel and M.-P. Jacob 105

Localized Wegener's granulomatosis: predominance of CD26 and IFN-γ expression: A. Müller, A. Trabandt, K. Gloeckner-Hofmann, U. Seitzer, E. Csernok, U. Schönermarck, A. C. Feller and W. L. Gross 113

Functional implications of tissue factor localization to cell–cell contacts in myocardium: T. Luther, D.-D. Dittert, M. Kotzsch, J. Erlich, S. Albrecht, N. Mackman and M. Müller 121

CD-Rom and Book Reviews 131

Announcements 133

Volume 192, Number 1 September 2000

Editorial

Barrett's mucosa: remodelling by the microenvironment: R. F. Harrison, I. Perry and J. A. Jankowski 1

Review Article

Regulation of the differentiation and function of osteoclasts: T. J. Chambers 4

Original Papers

Angiogenesis in the neoplastic sequence of Barrett's oesophagus. Correlation with VEGF expression: A. Couvelard, F. Paraf, V. Gratio, J.-Y. Scoazec, D. Hénin, C. Degott and J.-F. Fléjou 14

Nuclear profiles of cancer cells reveal the metastatic potential of gastric cancer: M. Ikeguchi, J. Cai, S. Oka, Y. Gomyou, S. Tsujitani, M. Maeta and N. Kaibara 19

Reduced expression of p27/Kip1 is associated with the development of pulmonary adenocarcinoma: H. Hayashi, T. Ito, T. Yazawa, M. Ikeda, Y. Inayama, Y. Nakatani, Y. Kameda, N. Nakamura and H. Kitamura 26

Assessment of *ret*/PTC-1 rearrangements in neoplastic thyroid tissue using TaqMan RT-PCR: O. M. Sheils, J. J. O'Leary and E. C. Sweeney 32

Hot microscopic areas of iodine-deficient euthyroid goitres contain constitutively activating TSH receptor mutations: K. Krohn, S. Wohlgemuth, H. Gerber and R. Paschke 37

Differentiation of multicentric origin from intra-organ metastatic spread of hepatocellular carcinomas by comparative genomic hybridization: L. Wilkens, M. Bredt, P. Flemming, J. Klempnauer and H. H. Kreipe 43

Expression of p53 in oral squamous cell carcinoma is associated with the presence of IgG and IgA p53 autoantibodies in sera and saliva of the patients: S. Warnakulasuriya, T. Soussi, R. Maher, N. Johnson and M. Tavassoli 52

Expression patterns of E-cadherin, involucrin, and connexin gap junction proteins in the lining epithelia of inflamed gingiva: P. Ye, C. C. Chapple, R. K. Kumar and N. Hunter 58

Human peritoneal adhesions are highly cellular, innervated, and vascularised: S. E. Herrick, S. E. Mutsaers, P. Ozua, H. Sulaiman, A. Omer, P. Boulos, M. L. Foster and G. J. Laurent 67

***In situ* expression of fibrogenic growth factors and their receptors in biliary atresia: comparison between early and late stages:** A. F. K. U. Ahmed, H. Ohtani, M. Nio, N. Funaki, D. Iwami, S. Kumagai, E. Sato, H. Nagura and R. Ohi 73

Collagen type I synthesized by pancreatic periacinar stellate cells (PSC) co-localizes with lipid peroxidation-derived aldehydes in chronic alcoholic pancreatitis: A. Casini, A. Galli, P. Pignalosa, L. Frulloni, C. Grappone, S. Milani, P. Pederzoli, G. Cavallini and C. Surrenti 81

Preliminary report of impaired oestrogen receptor-α expression in bone, but no involvement of androgen receptor, in male idiopathic osteoporosis: I. P. Braidman, C. Baris, P. L. Selby, J. E. Adams, A. J. Freemont and J. A. Hoyland . 90

Rheumatoid arthritis synovial macrophage–osteoclast differentiation is osteoprotegerin ligand-dependent: I. Itonaga, Y. Fujikawa, A. Sabokbar, D. W. Murray and N. A. Athanasou 97

Increased TIMP/MMP ratio in varicose veins: a possible explanation for extracellular matrix accumulation: C. Badier-Commander, T. Verbeuren, C. Lebard, J.-B. Michel and M.-P. Jacob 105

Localized Wegener's granulomatosis: predominance of CD26 and IFN-γ expression: A. Müller, A. Trabandt, K. Gloeckner-Hofmann, U. Seitzer, E. Csernok, U. Schönermarck, A. C. Feller and W. L. Gross 113

Functional implications of tissue factor localization to cell–cell contacts in myocardium: T. Luther, D.-D. Dittert, M. Kotzsch, J. Erlich, S. Albrecht, N. Mackman and M. Müller 121

CD-Rom and Book Reviews 131

Announcements 133

Volume 192, Number 2 October 2000

Review Article

Malignant hypertension – the role of the paracrine renin–angiotensin system: S. Fleming **135**

Original Papers

'Invading edge vs. inner' (*edvin*) patterns of vascularization: an interplay between angiogenic and vascular survival factors defines the clinical behaviour of non-small cell lung cancer: A. Giatromanolaki, M. I. Koukourakis, E. Sivridis, K. O'Byrne, K. C. Gatter and A. L. Harris **140**

Expression of vascular endothelial growth factor by macrophages is up-regulated in poorly vascularized areas of breast carcinomas: J. S. Lewis, R. J. Landers, J. C. E. Underwood, A. L. Harris and C. E. Lewis **150**

Expression of oestrogen receptor alpha variants in non-malignant breast and early invasive breast carcinomas: S. A. Chappell, S. M. Johnson, J. A. Shaw and R. A. Walker **159**

Apoptosis, proliferation, and Fas (APO-1, CD95)/Fas ligand expression in medullary carcinoma of the breast: E. Yakirevich, L. Maroun, O. Cohen, O. B. Izhak, G. Rennert and M. B. Resnick **166**

Relationship between expression of topoisomerase II isoforms and chemosensitivity in choroidal melanoma: K. Satherley, L. de Souza, M. H. Neale, R. A. Alexander, N. Myatt, A. J. E. Foss, J. L. Hungerford, I. D. Hickson and I. A. Cree **174**

The restricted expression pattern of the Hodgkin's lymphoma-associated cytokine receptor CD30 is regulated by a minimal promoter: H. Dürkop, M. Oberbarnscheidt, U. Latza, S. Bulfone-Paus, B. Hirsch, T. Pohl, H. Krause, M. Hummel and H. Stein **182**

Frequent nuclear localization of ICAD and cytoplasmic co-expression of caspase-8 and caspase-3 in human lymphomas: L. Xerri, F. Palmerini, E. Devilard, T. Defrance, R. Bouabdallah, J. Hassoun and F. Birg **194**

***In situ* analysis of *LKB1/STK11* mRNA expression in human normal tissues and tumours:** A. Rowan, M. Churchman, R. Jefferey, A. Hanby, R. Poulsom and I. Tomlinson **203**

Molecular cytogenetic evaluation of virus-associated and non-viral hepatocellular carcinoma: analysis of 26 carcinomas and 12 concurrent dysplasias: P. E. Zondervan, J. Wink, J. C. Alers, J. N. Ijzermans, S. W. Schalm, R. A. de Man and H. van Dekken **207**

p120 expression provides a reliable indication of the rapidity of cell duplication in cancer cells independently of tumour origin: D. Trerè, M. Migaldi, L. Montanaro, A. Pession and M. Derenzini **216**

Clonal patterns in phaeochromocytomas and MEN-2A adrenal medullary hyperplasias: histological and kinetic correlates: S. J. Diaz-Cano, M. de Miguel, A. Blanes, R. Tashjian, H. Galera and H. J. Wolfe **221**

Errors in histological grading by prostatic needle biopsy specimens: frequency and predisposing factors: E. Ruijter, G. van Leenders, G. Miller, F. Debruyne and C. van de Kaa **229**

Expression of angiogenic factor thymidine phosphorylase and angiogenesis in human atherosclerosis: J. J. Boyle, B. Wilson, R. Bicknell, S. Harrower, P. L. Weissberg and T-P. Fan **234**

The relationship between persistent secretion of RANTES and residual infiltration of eosinophils and memory T lymphocytes after *Helicobacter pylori* eradication: T. Kikuchi, K. Kato, S. Ohara, H. Sekine, T. Arikawa, T. Suzuki, K. Noguchi, M. Saito, Y. Saito, H. Nagura, T. Toyota and T. Shimosegawa **243**

Increased expression of cytoplasmic tail-containing form of gp600/megalin in active Heymann nephritis: A. V. Oleinikov and S. P. Makker **251**

The effect of environmental cues on the differentiation of myofibroblasts in peritoneal granulation tissue: J. L. Efendy, G. R. Campbell and J. H. Campbell **257**

Role of macrophage scavenger receptor in endotoxin shock: Y. Kobayashi, C. Miyaji, H. Watanabe, H. Umezu, G. Hasegawa, T. Abo, M. Arakawa, N. Kamata, H. Suzuki, T. Kodama and M. Naito **263**

Book Reviews **273**

Announcements **275**

Volume 192, Number 3 November 2000

Editorial

The enigmatic inflammatory pseudotumours: the current state of our understanding, or misunderstanding: L. P. Dehner 277

Review Article

Proteomics: a new approach to the study of disease: G. Chambers, L. Lawrie, P. Cash and G. I. Murray 280

Original Papers

Intestinal inflammatory pseudotumour with regional lymph node involvement: identification of a new bacterium as the aetiological agent: W. Cheuk, P. C. Y. Woo, K. Y. Yuen, P. H. Yu and J. K. C. Chan 289

Metallothionein in human gastrointestinal cancer: A. M. L. Janssen, W. van Duijn, M. M. Oostendorp-van de Ruit, L. Kruidenier, C. B. Bosman, G. Griffioen, C. B. H. W. Lamers, J. H. J. M. van Krieken, C. J. H. van de Velde and H. W. Verspaget 293

***Helicobacter pylori*-related and -non-related gastric cancers do not differ with respect to chromosomal aberrations:** N. C. T. van Grieken, M. M. Weiss, G. A. Meijer, M. A. J. A. Hermsen, G. H. A. Scholte, J. Lindeman, M. E. Craanen, E. Bloemena, S. G. M. Meuwissen, J. P. A. Baak and E. J. Kuipers 301

Marked genetic similarities between hepatitis B virus-positive and hepatitis C virus-positive hepatocellular carcinomas: L. Tornillo, V. Carafa, J. Richter, G. Sauter, H. Moch, E. Minola, M. Gambacorta, L. Bianchi, R. Vecchione and L. M. Terracciano 307

Lumican and decorin are differentially expressed in human breast carcinoma: E. Leygue, L. Snell, H. Dotzlaw, S. Troup, T. Hiller-Hitchcock, L. C. Murphy, P. J. Roughley and P. H. Watson 313

Reduced CD44 standard expression is associated with tumour recurrence and unfavourable outcome in differentiated thyroid carcinoma: J. P. Böhm, L. K. Niskanen, R. T. Pirinen, K. Kiraly, J. K. Kellokoski, K. I. Moisio, M. J. Eskelinen, H. E. Tulla, S. Hollmen, E. M. Alhava and V. Kosma 321

Prediction of a mismatch repair gene defect by microsatellite instability and immunohistochemical analysis in endometrial tumours from HNPCC patients: W. J. F. de Leeuw, J. W. Dierssen, H. F. A. Vasen, J. Th. Wijnen, G. G. Kenter, H. Meijers-Heijboer, A. Brocker-Vriends, A. Stormorken, P. Moller, F. Menko, C. J. Cornelisse and H. Morreau 328

Assessment of cellular expression of parathyroid hormone-related protein mRNA and protein in multiple myeloma: H. Zeimer, F. Firkin, V. Grill, J. Slavin, H. Zhou and T. J. Martin 336

Prognostic value of the preserved expression of the E-cadherin and catenin families of adhesion molecules and of β-catenin mutations in synovial sarcoma: T. Saito, Y. Oda, A. Sakamoto, S. Tamiya, N. Kinukawa, K. Hayashi, Y. Iwamoto and M. Tsuneyoshi 342

An automated machine vision system for the histological grading of cervical intraepithelial neoplasia (CIN): S. J. Keenan, J. Diamond, W. G. McCluggage, H. Bharucha, D. Thompson, P. H. Bartels and P. W. Hamilton 351

***In vitro*-generated stem cell leukaemia showing altered cell cycle progression with distinct signalling of the tyrosine-phosphorylated rasGAP-associated $p62^{dok}$ protein:** R. Huss, E. M. Weissinger, C. Lange, P. Gatsios, G. Eissner, H.-J. Kolb, J. Diebold, P. C. Heinrich and L. Graeve 363

Deep intralobular extension of human hepatic 'progenitor cells' correlates with parenchymal inflammation in chronic viral hepatitis: can 'progenitor cells' migrate?: L. Libbrecht, V. Desmet, B. Van Damme and T. Roskams 373

Expression of pulmonary vascular angiotensin-converting enzyme in primary and secondary plexiform pulmonary hypertension: C. Orte, J. M. Polak, S. G. Haworth, M. H. Yacoub and N. W. Morrell 379

A light and electron microscopic study of osteogenesis imperfecta bone samples, with reference to collagen chemistry and clinical phenotype: P. Sarathchandra, F. M. Pope, M. V. Kayser and S. Y. Ali 385

Growth of nerve fibres into murine peritoneal adhesions: H. Sulaiman, G. Gabella, C. Davis, S. E. Mutsaers, P. Boulos, G. J. Laurent and S. E. Herrick 396

Differential expression of laminin chains and anti-laminin autoantibodies in experimental lupus nephritis: C. J. Peutz-Kootstra, K. Hansen, E. De Heer, C. K. Abrass and J. A. Bruijn 404

Letter to the Editor 413

Authors' Reply 414

Announcements 416

Volume 192, Number 4 December 2000

Review Article

The role of cytochrome P450 in tumour development and progression and its potential in therapy: G. I. Murray **419**

Original Papers

Expression of CD44v6 but not E-cadherin or β-catenin influences prognosis in primary pulmonary adenocarcinoma: S. Ramasami, K. M. Kerr, A. D. Chapman, G. King, J. S. Cockburn and R. R. Jeffrey **427**

Expression of the E-cadherin/catenin (α-, β- and γ-) complex correlates with the macroscopic appearance of early gastric cancer: Y. Ohene-Abuakwa, M. Noda, M. Perenyi, N. Kobayashi, K. Kashima, T. Hattori and M. Pignatelli **433**

Specific patterns of chromosomal abnormalities are associated with RER status in sporadic colorectal cancer: L. J. Curtis, I. B. Georgiades, S. White, C. C. Bird, D. J. Harrison and A. H. Wyllie **440**

Validation of a model of colon cancer progression: R. E. Hewitt, A. McMarlin, D. Kleiner, R. Wersto, P. Martin, M. Tsoskas, G. W. H. Stamp and W. G. Stetler-Stevenson **446**

Increased expression of tissue inhibitor of metalloproteinases type 1 (TIMP-1) in a more tumourigenic colon cancer cell line: R. E. Hewitt, K. E. Brown, M. Corcoran and W. G. Stetler-Stevenson **455**

E-cadherin and α-, β- and γ-catenin protein expression is up-regulated in ovarian carcinoma cells in serous effusions: B. Davidson, A. Berner, J. M. Nesland, B. Risberg, H. S. Berner, C. G. Tropè, G. B. Kristensen, M. Bryne and V. A. Florenes **460**

Significantly different *bcl-2* expression profiles in gastric and non-gastric primary extranodal high grade B-cell lymphomas: S. B. Cogliatti, H. Griesser, H. Peng, M.-Q. Du, P. G. Isaacson, D. R. Zimmermann, R. C. Maibach and U. Schmid **470**

Molecular analysis reveals somatically mutated and unmutated clonal and oligoclonal B cells in T-cell-rich B-cell lymphoma: E. Hodges, Y. Hamid, C. T. Quin, B. Angus, B. S. Wilkins, D. H. Wright and J. L. Smith **479**

Clone specific PCR reveals wide dissemination of gastric MALT lymphoma to the gastric mucosa: M.-Q. Du, T. C. Diss, A. Dogan, H.-T. Ye, A. Aiello, A. C. Wotherspoon, L.-X. Pan and P. G. Isaacson **488**

Decreased synthesis and expression of TGF-β1, β2 and β3 in epithelium of HPV 16-positive cervical precancer: a study by microdissection, quantitative RT-PCR, and immunocytochemistry: A. M. El-Sherif, R. Seth, P. J. Tighe and D. Jenkins **494**

Deletion of the FHIT gene in neoplastic and invasive cervical lesions is related to high risk HPV infection but is independent of histopathological features: D. Butler, C. Collins, M. Mabruk, C. B. Walsh, M. B. Leader and E. W. Kay **502**

Abnormalities of the transforming growth factor-beta pathway in ocular melanoma: N. Myatt, P. Aristodemou, M. H. Neale, A. J. E. Foss, J. L. Hungerford, S. Bhattacharya and I. A. Cree **511**

Epidermal growth factor up-regulates CD44-dependent astrocytoma invasion *in vitro*: M. Monaghan, K. A. Mulligan, H. Gillespie, A. Trimble, P. Winter, P. G. Johnston and D. McCormick **519**

Changes in gastrointestinal morphology associated with obstructive jaundice: R. W. Parks, C. H. S. Cameron, C. D. Gannon, C. Pope, T. Diamond and B. J. Rowlands **526**

Distribution of the interleukin-8 receptors, CXCR1 and CXCR2, in inflamed gut tissue: E. J. Williams, S. Haque, C. Banks, P. Johnson, P. Sarsfield and N. Sheron **533**

Identification of MRP-8 (calgranulin A) as a major responsive protein in chronic periodontitis: F. T. Lundy, R. Chalk, P.-J. Lamey, C. Shaw and G. J. Linden **540**

Validation of endobronchial biopsy specimens for nerve quantitation by computer-assisted image analysis: F. Jesenik, D. R. Springall, A. E. Redington, C. J. Doré, D.-C. Abrams, S. T. Holgate, P. H. Howarth and J. M. Polak **545**

Multiple tissue core arrays in histopathology research: a validation study: C. E. Gillett, R. J. Springall, D. M. Barnes and A. M. Hanby **549**

An assessment of the long-term preservation of the DNA of a bacterial pathogen in ethanol-preserved archival material: I. Barnes, J. Holton, D. Vaira, M. Spigelman and M. G. Thomas **554**

Letters to the Editor **560**

Book reviews **564**